



CE

WET & DRY CLEANING SOLUTIONS

1 ABOUT TOMATSU

TOMATSU , is the name for Professional Wet & Dry Industrial cleaning solutions, aiming to provide you with the best range of the vacuum cleaners; specially engineered in the way to best suit to all kinds of your needs. Whether you require cleaning at your factory, warehouse, offices or cleaning on the commercial basis or for the pharmaceutical plant, don't worry as Tomatsu has the solution for all kinds. You could easily count on our industrial vacuum cleaners as they are versatile, perfectly designed; durable and could be operated in any kind of environment.

With Tomatsu , you would be able to have the best cleaning experience as our all products are designed in the way that are gentle to your walls and floors but not to the dirt and dust. Tomatsu provides different accessories and the cleaning agents that make a perfect match with the vacuum cleaners. Tomatsu has a huge range of the industrial vacuum cleaners including the dry and wet vacuum cleaners that could easily suck the spilled liquids along the dust, highly recommended for Industrial usage, easy to use, available in different sizes and shapes so that you don't have to worry anymore! All the parts are designed in the way that are complimentary to each other and when they are united that is the time to say goodbye to all the dirt, oil, soil, smallest particles, sand and dust.

Understanding the needs of all, whether it is about the commercial need or about cleaning the big plants in industries, Tomatsu has brought the specially designed products that are just right for the special cleaning purposes. Tomatsu caters its services to the variety of the industries by providing them the specially designed vacuum cleaners. Tomatsu is committed to provide the better cleaning solutions to the customers on the industrial and the commercial level so that they could select the product of their choice that would provide them the great cleaning experience. The commercial and industrial vacuum cleaners are designed specifically for meeting the huge industrial and commercial needs, therefore, we offer the heavy duty vacuum cleaners having the huge capacities about 60Litres to 100Litres, understanding the big requirements of the big industries and the commercial plants.


PROFESSIONAL INDUSTRIAL VACUUM CLEANERS

2

CLEANING SOLUTIONS FOR VARIOUS INDUSTRIES



STEEL & CEMENT



MICROELECTRONICS



OIL & CHEMICAL



PHARMACEUTICAL



GLASS



COTTON & LEATHER



FOOD PROCESSING



HOTEL & RESTAURANTS



WAREHOUSES

3 TOMATSU VACCUM CLEANERS



TOMBAT



TOMCAT-90X



TOMOYO-60XL



TOMPRO-XL



TOMVAC-XL



TOMASHI-60X

PRODUCT DESCRIPTION

4

01. TOMBAT

The maintenance free battery is the power source for this industrial vacuum cleaner. It is not only portable, but strong sucking. Standard equipped with 24V DC, cell the capacity of 100AH. Controlling the working time according to working time requirements. High quality charger charging 8-10 hours can be filled. It can continuously use it for 3 to 4 hours. Suitable for large-scale factory workshop, metallurgy, coal mine, sanitation equipment, underground garage, etc.

04. TOMPRO-XL

TOMPRO-XL Pneumatic Explosion Proof machine has the function of back blowing, it can effectively prevent the filter plug, and suitable for dust quantity is relatively large place. Driven by air compressed, to achieve the effect of vacuum cleaner according to the venturi principle. Low noise, strong suction, no overheating phenomenon, can work long hours, the quality is very stable. It can suck water and oil absorption, iron absorption, absorption powder, weak acid and other objects and liquids. With two high efficiency filters, Can be used alone, or equip with other equipments.

02. TOMCAT-90X

The round stainless steel barrel body and the strong silent type motor. TOMCAT-90X has the characters of large suction force, strong function, solid structure, metal frame and the barrel body can turn over and make it easy to dump rubbish and sewage. The standard efficient filtration contains the filters achieve the double filtering effect. TOMCAT-90X is widely used in the factory floor and work table cleaning; it is the ideal model for cleaning metal dust, plastic fine dust and other fine dust etc.

05. TOMVAC-XL

The round stainless steel barrel body and the strong silent type motor, portable, sturdy and durable. TOMVAC has the characters of large suction force, strong function; the cyclone structure in the filtering barrel can keep lasting and high cleaning efficiency. A unique release lever can separate the 100L containers, making it a quick and easy way to collect debris. TOMVAC is widely used in the factory floor and work table cleaning of machinery, pharmaceutical, chemical, ceramics, food industry, etc. it is the ideal model for cleaning metal dust, plastic fine dust and other fine dust etc.

03. TOMOYO - 60XL

Configuration of Europe type plug socket. Star filter has big filter area, high filtration precision and the equivalent diameter in 3 microns particle filtration efficiency of more than 99.99%.

Pressure relief valve, when the motor reaches the peak value of the motor, the motor load increases, and the current becomes large. Pressure relief valve automatically open (air from the pressure relief valve inlet into the motor), protect the motor from load increase.

06. TOMASHI-60X

The round stainless steel barrel body and the strong silent type motor, make the cleaner portable, sturdy and durable. TOMASHI-60X has the characters of large suction force, strong function, solid structure, metal frame and the barrel body can turn over and make it easy to dump rubbish and sewage. TOMASHI-60X is widely used in the factory floor and work table cleaning; it is the ideal model for cleaning metal dust, plastic fine dust and other fine dust etc.

5 TOMBAT



CHARACTERSTICS

- Battery monitor, control the battery freely.
- Emergency stop switch, when happen the emergency situation, can fast close the machine.
- Distribution box key switch, ensure that the electric box is not opened by non-professionals.
- Fast Side joint , good sealing performance, convenient connection 50/40 caliber suction.
- Use DC wet and dry type motor.
- 1650W big power, satisfy with all kinds of industry.
- Three motor separate control, according to the requirements of the use to choose the power of motor.
- 80L large capacity dust bucket, the barrel body can turn over, it can easy to Dump garbage
- The capacity of the battery is 100AH, can used 3-4 hours continuously.
- The material is stainless steel, durable, wear-resistant, not easy to scratch.



Battery
Industrial
Vacuum Cleaner



Metal frame and
title device




Pre-dust brusher
(Option)



Large diameter
side suction
inlet




E-STOP



Electric quantity
display screen



Maintenance
free battery &
charger



Key for
distribution box

TOMBAT TECHNICAL SPECIFICATIONS 6

TECHNICAL SPECIFICATIONS	UNIT	VALUE
Capacity	L	60/80
Power	W	1650
Voltage	VAT	220-240V/50-60HZ
Battery Capacity	AH	100
Battery Working Time	Hour	3.5
Barrel Diameter	MM	440
Air flow	LS	106
Vacuum suction	MBAR	230
Noise	DB	71
Cable Length	M	8
Net Weight	KG	31
Gross Weight	KG	36
Product Size	MM	930*530*1100
Packing Size	MM	990*590*1240
Cooling mode	Circulating cooling air	
Function	Wet and dry	
Option 1	Pre-Dust Brusher	
Option 2	50mm Fittings	
Option 3	HAPE (0.3UM,99.99%)	

7 TOMCAT - 90X



CHARACTERSTICS

- The strong stainless steel barrel body and metal frame make it has a better impact resistance and durability in industrial use. Ordinary vacuum cleaner normally use the plastic frame, and easy to crack in a long time use.
- Large diameter side suction inlet, make the suction strong.
- The large capacity 90L trash barrel can carry more garbage or sewage; the barrel body is separated barrel and makes it easy to dump rubbish or sewage.
- The standard efficient filtration contains the filters achieve the double filtering effect. For those equivalent diameters above $0.3\mu\text{m}$ particle, the filter efficiency is higher than 99.99%. It is the ideal model for cleaning metal dust, plastic fine dust and other fine dust etc...
- The front PU wheel and rear rubber wheel sturdy and durable, and have good mute effect when pushed, it can be suitable for any bad environment clean in heavy industry.
- The machine head equipped with three motors and double switch can control the required suction easily. The 220V voltage, convenient used in factories, the 8 meters power line and 2.5 meters hose can work long distance.
- Application widely in various industry cleaning.



90L
Industrial
vacuum cleaner



Motor



Metal frame and
Separated Barrel



Standard
Floating ball



Standard HEPA
filter



Polyester fiber
dust isolation



Large diameter
side suction
inlet



304 Stainless
steel bearings

TOMCAT-90 X TECHNICAL SPECIFICATIONS

8

TECHNICAL SPECIFICATIONS	UNIT	VALUE
Capacity	L	90
Power	W	2400
Voltage	VAT	220-240V/50-60HZ
Barrel Diameter	MM	440
Air flow	M3/H	320
Vacuum suction	MBAR	230
Cable Length	M	8
Net Weight	KG	42
Gross Weight	KG	48
Product Size	MM	680*600*1220
Packing Size	MM	690*690*1260
Cooling mode	Circulating cooling air	
Function	Wet and dry	

9 TOMOYO - 60XL



CHARACTERSTICS

- Configuration of Europe type plug socket.
- Star filter has big filter area, high filtration precision and the equivalent diameter in 3 microns particle filtration efficiency of more than 99.99%.
- Pressure relief valve, when the motor reaches the peak value of the motor, the motor load increases, and the current becomes large. Pressure relief valve automatically open (air from the pressure relief valve inlet into the motor), protect the motor from load increase.
- Barometer can control the load of the machine.
- Manual filter shaker can remove star dust quickly on the surface of the filter, keeping the biggest suction vacuum;
- Separated barrel is easy to dump.
- Cyclone separation structure reduces the dust filter. In the inhaled sharp objects to protect filter was cut bad; When the machine is running, the suction bigger and stronger;
- Stainless steel barrel and metal frame are solid and durable.
- Five meters 50 mm large diameter tube can absorb large particles and can work over a long distance.

TOMOYO - 60XL TECHNICAL SPECIFICATIONS 10

TECHNICAL SPECIFICATIONS	UNIT	VALUE
Capacity	L	60
Power	W	2200
Voltage	V	220
Main filter area	cm2	22000
Filtering accuracy	UM	3
Inhalation Caliber	MM	40
Air flow	M3 / H	310
Vacuum suction	MBAR	230
Noise	DB	63
Cable Length	M	8
Net Weight	KG	83
Gross Weight	KG	106
Product Size	MM	910*600*1130
Packing Size	MM	975*665*1185

11 TOMPRO - XL



CHARACTERSTICS

- Has two pneumatic blowing knife, strong wind force, press the button, automatically blowing dust on the filter clean.
- Driven by compressed air, there is no phenomenon of overheating, it can work continuously for a long time, and the quality is stable.
- Standard double HEPA filter and paper dust bag, dust is 99.99% micron filtration effect 0.3um.
- The noise of the machine is small and the suction is strong. Supporting production line or equipment use.
- Stainless steel dust collection barrel can collect all kinds of material, not easy to damage.
- Compact form, reinforced metal frame, flexible, durable.
- The use of front wheel PU round, rear wheel rubber wheel, strong and durable, the machine when the mute effect is good, can be applied to the heavy industrial environment.
- Widely used in military, pharmaceutical, medicine, machinery manufacturing, metal processing, food processing, textiles, shipyards, metallurgy, paint shop, and printing plants, oil refineries, chemical industry, industrial using.

TOMPRO - XL TECHNICAL SPECIFICATIONS 12

TECHNICAL SPECIFICATIONS	UNIT	VALUE
Capacity	L	80
Air flow	l/min	4280
Vacuum suction	MBAR	230
Filtration area 1	cm2	22680
Filtration area 2	cm2	16200
Filtration accuracy	um	0.3
Weight	KG	27.5
Dimensions (l * w * h)	MM	540*540*1080
Noise	db	53

13 TOMVAC - XL



CHARACTERSTICS

- With the beautiful, portable, sturdy and durable characters, the strong stainless steel barrel body and metal frame make it has a better impact resistance and durability in industrial use. Ordinary vacuum cleaner normally use the plastic frame, and easy to crack in a long time use.
- The standard star type bag filter, filter area are very large, for those equivalent diameter above $3\mu\text{m}$ particle, the filter efficiency is higher than 99.99%, and the cyclone structure in the filtering barrel can keep lasting and high cleaning efficiency, it is the ideal model for cleaning metal dust, plastic fine dust and other find dust etc.
- The large capacity 100L trash barrel can carry more garbage or sewage, a standard manual filter vibrating sieve can quickly remove the dust covered over the star type filter surface, keep maximum suction. A standard cyclone separator can reduce the dust or the liquid attached to the filter, and protect the filter not cut when suck the sharp objects, the separating barrel is easy to dump rubbish or sewage.
- The configuration of universal industrial casters can drive to anywhere without the limited of power line and can timely brake, and it also equipped with the lever lifting mechanism with a patent, the dust collecting barrel with casters can simply to be disassembled, strong sealing, good flexibility.
- The machine head equipped with two motors and double switch can control the required suction easily. The 220V voltage, convenient use in factories, the 8 meters power line, 5 meters 50mm large diameter hose, can work long distance.
- Application widely in various industry cleaning.

TOMVAC - XL TECHNICAL SPECIFICATIONS

14

TECHNICAL SPECIFICATIONS	UNIT	VALUE
Capacity	L	100
Power	W	2400
Voltage	V	220
Suck Bore	MM	50
Airflow	M3/H	320
Vacuum suction	MBAR	230
Noise	DB	70
Filtering Surface	CM2	25000
Cable Length	M	52
Net Weight	KG	31
Gross Weight	KG	73
Product Size	MM	600*680*1400
Packing Size	MM	770*690*1540
Cooling mode	Circulating cold air blast	

15 TOMASHI - 60X



CHARACTERSTICS

- The strong stainless steel barrel body and metal frame make it has a better impact resistance and durability in industrial use. Ordinary vacuum cleaner normally use the plastic frame, and easy to crack in a long time use.
- The large capacity 60L trash barrel can carry more garbage or sewage; the barrel body can turn over and make it easy to dump rubbish or sewage.
- Polyester fiber dust isolation, 3 micron particle filtering precision is up to 99.99%, is the ideal model for metal cleaning dust, plastic dust and fine dust.
- The front PU wheel and rear rubber wheel sturdy and durable, and have good mute effect when push, it can be suitable for any bad environment clean in heavy industry. The ordinary cleaner usually use the PVC wheels, this kind of PVC wheels easy to damage when use in a bit longer time or use in a harsh place.
- The required suction easily. The 220V single voltage, convenient use in factories, the 8 meters power line and 2.5 meters hose can work long distance.
- Application widely in various industry cleaning.



Industrial vacuum cleaner



Motor



Metal frame and tilt device



Standard float



Rubber wheel



Polyester fiber dust isolation



Drain-pipe



PU wheel universal

TOMASHI - 60X TECHNICAL SPECIFICATIONS

16

TECHNICAL SPECIFICATIONS	UNIT	VALUE
Capacity	L	60
Power	W	2400
Voltage	VAT	220-240V/50-60HZ
Barrel Diameter	MM	440
Air flow	M ³ /H	320
Vacuum suction	MBAR	240
Cable Length	M	8
Net Weight	KG	31
Gross Weight	KG	36
Product Size	MM	540*540*980
Packing Size	MM	580*580*1000
Cooling mode	Circulating cooling air	
Function	Wet and dry	

WARRANTY & ACCESSORIES



BRUSH



LONG & SHORT CONNECTOR



FILTER



ROUND BRUSH



PLAT NOZZLE



STEEL DOUBLE TUBE



2.5M HOSE



SCRUBBER

Warranty principle

From the Sold date, these machine can enjoy one year warranty (except wearing parts and artificial damage), after the warranty, you can enjoy lifelong free technical guidance services.



Authorized Dealer



Tomatsu Asia

Road No:10, Banjara Hills
Hyderabad 500 034, Telangana, India
T: +91 4 23378777 M: +919885647615

Tomatsu Middle East

Dubai Maritime City, Workshop 120
P.O.Box: 80532, Dubai, United Arab Emirates
T: +971 4 3344180 M: +971504537010

Email: info@metomatsu.com
Website: www.metomatsu.com
www.tomatsu.in